

02 - DVRXL88TX - 8 CH H264 MIDI SILENT DVR. USB. VGA & WEBSERVER



Midi Size and completely silent with a Heat sync and absorbing casing. Facilities include "EZRecord" - which is the fastest standard Record setup facility available with the User simply entering the number of days of recording required. The DVR will display the picture Quality and Frame / Field (PPS) record rate and this can be altered if higher quality or a higher refresh rate is required. When altered the DVR will immediately show the revised number of recording days. Nothing could be simpler. If required you can also use individual Camera Configuration if you wish to have different PPS rates and Quality for any Camera.

"EZBurn" is the new simple method to Burn or Copy recorded incidents to the inbuilt USB Memory Stick - with just 2 Front Buttons to press. In addition the inbuilt Webserver optimises viewing on a Network or off-site via the Internet.

There is a Main Monitor output plus a Call (Spot) Monitor output and a VGA Monitor output. We include a IR Remote Control and offer a RS485 Keyboard and Joystick Keyboard Remote Control option for DVR and Dome operation at a distance.

This is the ideal model for sites with 1 ~ 8 cameras.

Key Features

Optimised H264HR Compression for longer Record Times and Fast Remote Access.

Microsoft Certified Digital Certificate.

Internal Hard Drive capacity up to 2TB.

Main Monitor Output.

Call (Spot) Monitor Output.

VGA Monitor Output.

Single, Sequential, Quad or 8 Camera Split Screen Display.

EZRecord for the fastest setup.

USB Port for fast download to a USB Memory stick or other device.

Fast Webserver for Network and Remote Internet Connection.

10000 Event Motion Detection and Alarm Inputs.

Real Time Display.

Covert Mode.

2 X 2 Zoom on Live or 7 x Zoom on Playback through a PC, Network or Remote Connection.

Playback by Time & Date.

Event List Playback.

PTZ Dome Control.

IR Remote included.

Accessories include D7323 RS485 DVR Control Keyboard & D7313H Full DVR and Dome Joystick Control Keyboard.

Full Specification

MODEL NO.	DVRXL88TX Full Function DVR with USB and Webserver
Camera Inputs	8
Camera loop Out	-
Main Monitor Output	1 BNC Composite Video + (VGA Monitor Option)
Call Monitor Output	1 BNC Composite Video
VGA Output	1 Standard D-Sub Socket
Mono / Colour	Auto Sense
Hard Drive Options	160GB / 250GB / 320GB / 500GB / 640GB / 1TB / 1.5TB / 2TB.

Image Record Rate	up to 200 PPS
Image Quality	18 Combinations from Best to Fast Transmission
Resolution (Best)	450 TVL
Network Access (LAN)	Yes - Webserver
Broadband Internet Access	Yes - Webserver with Router - no software needed
Time and Date	Yes
Compression Method	H264HR (optimised)
Alarm Inputs / Relay Outputs	8 / 1
Event Backup	USB
Remote Interface	RS485
Motion Detection	Yes - 10000 Event List
Power	DC12V via AC100~240V adaptor supplied
Dimensions	220(W)x50(H)x330(D)mm
Net weight	2.7kgs
Accessories Included	IR Remote
Accessories Optional	D7323 and D7313H Joystick RS485 Keyboards